(2101/v x 157040'w at 1500)

Location 21°19's 715-7658'w to 20°38's 7157016'w

Observer

Date 8 February 1965 Time 1255 to 1823

Weather

		Livre government			* Constitution			60 mila
	A	bun	dan	ce	Br	eedi	ng	
SPECIES	1-10	10-100	100-1000	+ 0000	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross	2							
Wedge-tailed Shearwater								0 - 0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby	8							
Red-footed Booby		85	-					
Great Frigatebird	1	//						
Golden Plover	/							
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew					-			
Sooty Tern			141	1				212
			149					26,2
Gray-backed Tern Brown winged Tern								
Brown-winged Tern	7							
Common Noddy	7							
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Pomarine Joegen	/							
V								
			- monthly many					
Booky	1							
Troserbal	1							5/.5
Booly Tropechol Tern buil	3							
1 .0		30						Total bend = 283

FEBRUARY

(17°37'v7 156°55'w at 1200)

Location 18°36'N 7 156°59'W to 17°12'N 715-7°00'N

Observer

Date 9 February 1965: Time 0658 to 1828

	1	Abun	dan	ice	Br	eed	eeding 84 miles						
SPECIES	1-10	10-100	100-1000	1000	Nests		Young	Remarks					
Laysan Albatross													
Black-footed Albatross													
Wedge-tailed Shearwater								6 . ()					
Christmas I. Shearwater													
Audubon's Shearwater													
Bonin I. Petrel													
Phoenix I. Petrel													
Bulwer's Petrel													
Sooty Petrel													
Red-tailed Tropicbird													
White-tailed Tropicbird													
Masked Booby													
Brown Booby													
Red-footed Booby													
Great Frigatebird													
Golden Plover													
Ruddy Turnstone			-										
Wandering Tattler													
Sanderling													
Bristle-thighed Curlew	1												
Sooty Tern		58						5.0					
Gray-backed Tern													
Brown-winged Tern													
Common Noddy		11											
Hawaiian Noddy													
Blue-gray Noddy													
Fairy Tern	7												
	-												
								(g + 1					
								Total bud = 77					
								10 at vinas - 11					

(140 24'N 7 150 00 W to 13°05'N 7 156°59'W

Date 10 February, 1965' Time 0654 to 1833

	1	Abur	ndan	Ce	Br	reed	ing	127 11, iles
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross								
Wedge-tailed Shearwater								010
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel		-						
Red-tailed Tropicbird	1							
White-tailed Tropicbird	3							
Masked Booby	1							
Brown Booby								
Red-footed Booby								
Great Frigatebird	1							
Golden Plover								
Ruddy Turnstone		-						
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew			-					
Sooty Tern		116						
Gray-backed Tern		40						3 4
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy	7							
Fairy Tern	3							
Leach's Sfrom Patril	3							
								4 6
								total bud = 52

(10°55 2 7 155°49 (w at 1200) Location 11°71'N 7 156°45'N to 10°30'N 7 155°02'W

Observer

Date 11 February 1965 Time 6651 to 1847 Weather 115 miles Abundance Breeding + 0000 SPECIES Remarks Laysan Albatross Black-footed Albatross Wedge-tailed Shearwater Christmas I. Shearwater Audubon's Shearwater Bonin I. Petrel Phoenix I. Petrel Bulwer's Petrel Sooty Petrel Red-tailed Tropicbird White-tailed Tropicbird Masked Booby Brown Booby Red-footed Booby 2 Great Frigatebird Golden Plover Ruddy Turnstone Wandering Tattler Sanderling Bristle-thighed Curlew 0.0 Sooty Tern Gray-backed Tern Brown-winged Tern Common Noddy Hawaiian Noddy Blue-gray Noddy Fairy Tern Leach's Stom Petul White-well fetal

Total but = 8

(11034/N > 15402 Wat 1200)

10°42'N 715-4°04'W folz°43'N 715-4°00'W

Date/2 February, 1465 Time 0637 to 1821 Location Observer Weather Abundance Breeding Eggs SPECIES Remarks Laysan Albatross Black-footed Albatross Wedge-tailed Shearwater Christmas I. Shearwater Audubon's Shearwater Bonin I. Petrel Phoenix I. Petrel Bulwer's Petrel Sooty Petrel Red-tailed Tropicbird White-tailed Tropicbird Masked Booby Brown Booby Red-footed Booby Great Frigatebird Golden Plover Ruddy Turnstone Wandering Tattler Sanderling Bristle-thighed Curlew Sooty Tern 6.8 Gray-backed Tern Brown-winged Tern Common Noddy Hawaiian Noddy Blue-gray Noddy Fairy Tern Level's Sform Petul Kermadu Petul Phoeny del or tabuli in mult? Sheam oter-Petrel

(15° 37'0 7 154° 00'wat 1200)

Location 14034/N x 154000 to 16034/N x 15-3058 W

Observer

Date 131=64 mong 146, Time 1064/1 to 1817

Weather

17.0 miles Abundance Breeding 100-1000 + 10-100 Remarks SPECIES Laysan Albatross Black-footed Albatross Wedge-tailed Shearwater Christmas I. Shearwater Audubon's Shearwater Bonin I. Petrel Phoenix I. Petrel Bulwer's Petrel Sooty Petrel Red-tailed Tropicbird White-tailed Tropicbird Masked Booby Brown Booby Red-footed Booby Great Frigatebird Golden Plover Ruddy Turnstone Wandering Tattler Sanderling Bristle-thighed Curlew 84 Sooty Tern Gray-backed Tern Brown-winged Tern Common Noddy Hawaiian Noddy Blue-gray Noddy Fairy Tern Leachs Stom Peter Shramak Petri

(19024W7 153057W at 1200)

Location 18° 37'N 7 153° 57'N to 20°30'N 7 153° 55'W

Observer

Date 14 February 1965 Time 0645 to 1813

	and the same of	-	Maria Santa	eris seussiani			CONTRACTOR AND ST	113 miles
	A	bun	dan	ce	Br	eed	ing	
SPECIES	1-10	10-100	100-1000	+ 0001	Nests	E 998	Young	Remarks
Laysan Albatross								
Black-footed Albatross	1							
Wedge-tailed Shearwater								0.0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel					-			
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird	1							
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling			-					
Bristle-thighed Curlew								
Sooty Tern	-	77						1 7
Gray-backed Tern		//						6./
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern	9							
Leveles Som Retul	7							
						_		
				-				
					1			
Tripuby! Show ute - Peterl bried	2							81
Show whe - Peters	1	-						
briel	2							total buds = 93

(23°27'07 153°57'w of 1200)

Location 22 37 w 715-3 50 w to 23 025 v 7152 43 w

Observer

Date 15 7eby way 146, Time 0647 to 1807

		Abundance Breeding					.]	118 milue				
		Abun	dan	Ce	Br	eed	ing					
SPECIES	1-10	10-100	100-1000	1000	Nests	Eggs	Young	Remarks				
Laysan Albatross												
Black-footed Albatross		12										
Wedge-tailed Shearwater								0 - 0				
Christmas I. Shearwater												
Audubon's Shearwater												
Bonin I. Petrel												
Phoenix I. Petrel												
Bulwer's Petrel												
Sooty Petrel												
Red-tailed Tropicbird												
White-tailed Tropicbird												
Masked Booby												
Brown Booby												
Red-footed Booby												
Great Frigatebird	2											
Golden Plover												
Ruddy Turnstone	-											
Wandering Tattler												
Sanderling												
Bristle-thighed Curlew												
Sooty Tern		94					-	8 3				
Gray-backed Tern												
Brown-winged Tern			-PRI Deptings assessment									
Common Noddy												
Hawaiian Noddy												
Blue-gray Noddy												
Fairy Tern	2											
Level's Ston Petrs	4											
Leoch's StomPetul Pornamin forger	1											
formanis forger												
Ω_{I} 0	,											
Prolange								10.6				
Pholonge Tem Sheawate-Retul	2											
Shearwale - Pelhil								Total burs = 120				

(22°03° ~ 150°57° at 1200)

Location 23°01'v 7150°55'w to 21°18'v 7150°55'w

Observer

Date 16 7ebruary 1465' Time 6636 to 1803

Weather

Abundance Breeding

							in Balantin i Birana ang a	11/ miles
	A	bur	ndan	ce	Br	eed	ing	
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross	4							
Wedge-tailed Shearwater								5.0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel						-		
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird	2							
Golden Plover								
Ruddy Turnstone		fanherer sûnsaan astru - nutre-						
Wandering Tattler		- www.hagaraga-attenting.attenty.co.gas-						
Sanderling								
Bristle-thighed Curlew		erromania programa						
Sooty Tern		54						417
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
		10						
Level's Strom Petal Soote Sheamater		10						
Stool Sheamater	_							
Tropected :	1							S S
Pholorose :	2							total bird = 14

(18°08 w > 151°00 w at 1200)

Location 14°03'N 7 151°00'W to 17°27'N 7 150°59'W

Observer

Date 17 February 1465' Time 6632 to 1807

				-	-			96 niles
	A	bun	dan	Ce	Br	eedi	ing	
SPECIES	1-10	10-100	100-1000	1000	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross	3							
Wedge-tailed Shearwater								0.0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird	3							
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone		erra - Ambalasamalkananajarakarananara						
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew			-					
Sooty Tern		53						4 6
Gray-backed Tern								
Brown-winged Tern			}					
Common Noddy)							
Hawaiian Noddy								
Blue-gray Noddy				_				
Fairy Tern	/							
	9						vinning-agosphistic Palabatics ,	
Level's Stom Petel Herold Peter	1							
Herold Pelin								
					- Daying			
					-			
00								
Sheowale-Petel	2.		Name to the last of the last o					total burds = 72

(14°29'02 151001'w of 1200)

Location 150270 7151000 to 130250 71510000

Observer Date 187ebrany 1968 Time 6627 to 1810

	A	bun	dan	ce	Br	eed	ing	
SPECIES	1-10	10-100	100-1000	+ 0001	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross	9							
Wedge-tailed Shearwater	Z							0.2
Christmas I. Shearwater								
Audubon's Shearwater							-	
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby								
Brown Booby	-							
Red-footed Booby			-					
Great Frigatebird	-							
Golden Plover	-							
Ruddy Turnstone							,	
Wandering Tattler	-					-		
Sanderling	-							
Bristle-thighed Curlew								
Sooty Tern		37						7 1
Gray-backed Tern		1						1, -
Brown-winged Tern							-	
Common Noddy						-		
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
		20						
Level's Sfrom Peter		20				-		
					-			
								6.1
Tern Show at - Petul	/							+ 1 0
Sheaw ate-Petul	2							Total bues = 71

(116,8/v 7 158°37'W at 1200)

Location 11 630 10 7 150 67 10 40 10 49 10 7 149 41 W

Observer

Date 197ebruay 1465 Time 662 4 to 1807

	_							86 miles
	1	Abur	ndan	ce	Br	eed	ing	
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross	4							
Wedge-tailed Shearwater								3.0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby	1					_		
Brown Booby								
Red-footed Booby								
Great Frigatebird								
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern		43						7. 9
Gray-backed Tern								
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
Leach's How Peter	8							
Sheam ater - Peter	6							+ 1 1 1 1 1
gram de l'elle								total bads = 112

(11°18'N7 148°08'W at 1200) 10°10'07 148609'w to 12°16'07 148602'w Location Date 20 Februar, 1965 Time 1 to 1 Observer Weather 124 miles Abundance Breeding 100-1000 SPECIES Remarks Laysan Albatross Black-footed Albatross Wedge-tailed Shearwater Christmas I. Shearwater Audubon's Shearwater Bonin I. Petrel Phoenix I. Petrel Bulwer's Petrel Sooty Petrel Red-tailed Tropicbird White-tailed Tropicbird Masked Booby Brown Booby Red-footed Booby Great Frigatebird Golden Plover Ruddy Turnstone Wandering Tattler Sanderling Bristle-thighed Curlew Sooty Tern 482 Sommatur- present 40.8 Gray-backed Tern Brown-winged Tern Common Noddy Hawaiian Noddy Blue-gray Noddy Fairy Tern Sevell's Shear ate Level's Stom Petul

Total bind = 515

Shear of - Retil

13

(15003'N 7 148081'W at 1200)

14°08'N 7 147°58'41 fe 15°55'N 7 147°58'W

Date 217 Brown 1965 Time 6612 to 1757 Location Observer Weather 109 miles Abundance Breeding 100-1000 SPECIES Remarks Laysan Albatross Black-footed Albatross Wedge-tailed Shearwater Christmas I. Shearwater Audubon's Shearwater Bonin I. Petrel Phoenix I. Petrel Bulwer's Petrel Sooty Petrel Red-tailed Tropicbird White-tailed Tropicbird Masked Booby Brown Booby Red-footed Booby Great Frigatebird Golden Plover Ruddy Turnstone Wandering Tattler Sanderling Bristle-thighed Curlew Sooty Tern 0,0 Gray-backed Tern Brown-winged Tern Common Noddy Hawaiian Noddy Blue-gray Noddy Fairy Tern Level's Stronpeters Shear oter- Petial Total buch = 4

(19°00'N 7 148°02'w at 1200)

Location 17°53'w 7148002'w to 19°42'w 7148003'w

Observer

Date 247 ebyway 1465 Time 0615 to 1754

Weather

109 nuiles

	A	Abur	ndan	ice	Br	reedi	ing	
SPECIES	1-10	10-100	100-1000	1000	Nests	Eggs	Young	Remarks
Laysan Albatross								
Black-footed Albatross	/							
Wedge-tailed Shearwater								0.0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel		=,						
Red-tailed Tropicbird								
White-tailed Tropicbird	1							
Masked Booby								
Brown Booby								
Red-footed Booby								
Great Frigatebird	1							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								0,0
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy								
Fairy Tern								
rairy term				-				
Pholonge	1							Total buch = 4

(22°44/e 7 147°55'a at 1200)

Location 21°50'N 7 147° 54'W to 23° 28'N 7 148° 02'W

Observer

Date 237-brune 1965 Time 0618 to 171-1

	1	hun	dan	CO	R	eed	ing	98 miles
SPECIES	-10	10-100	100-1000	1000	Nests		Young	Remarks
	H	H	H	H	Z	īī	>	
Laysan Albatross								
Black-footed Albatross	3							
Wedge-tailed Shearwater								0.0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird								
Masked Booby						-15		
Brown Booby								
Red-footed Booby								
Great Frigatebird			-					
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern								
Gray-backed Tern								
Brown-winged Tern			-					
Common Noddy								
			-					
Blue-gray Noddy								
Fairy Tern								
Tulenar	/							
		=						
								0, 5
								total buch = 4

(26°26'07 148°03'ce) at 1200)

Location 2536/27 148°08/2 to 25°55/27 146°08/2

Observer

Date 247ehrung 1465 Time 0619 to 1755

	Abundance B				Br	eed	ing				
SPECIES	1-10	10-100	100-1000	+ 0000	Nests	Eggs	Young	Remarks			
Laysan Albatross											
Black-footed Albatross		12	1								
Wedge-tailed Shearwater								0 - 0			
Christmas I. Shearwater											
Audubon's Shearwater											
Bonin I. Petrel											
Phoenix I. Petrel											
Bulwer's Petrel											
Sooty Petrel											
Red-tailed Tropicbird											
White-tailed Tropicbird	1										
Masked Booby											
Brown Booby											
Red-footed Booby											
Great Frigatebird											
Golden Plover											
Ruddy Turnstone											
Wandering Tattler											
Sanderling											
Bristle-thighed Curlew											
Sooty Tern								8.0			
Gray-backed Tern								0,0			
Brown-winged Tern											
Common Noddy											
Hawaiian Noddy											
Blue-gray Noddy					-						
-airy Tern					-						
	-										
	-										
				-							
		-									
								12			
Pholoine	1							totalbuds = 14			

(25°01'~ 7 152°08'wat 1200)

Location 25 60/W 7 151012/w to 24055/W 7153032 W

Observer

Date 25 7ebrum 1465 Time 0632 to 1814

SPECIES	A	bun	dan	ce	Br	eedi	ng	126 nile		
	1-10	10-100	100-1000	1000+	Nests		Young	Remarks		
Laysan Albatross	1									
Black-footed Albatross		22	-							
Wedge-tailed Shearwater								0.0		
Christmas I. Shearwater										
Audubon's Shearwater										
Bonin I. Petrel										
Phoenix I. Petrel										
Bulwer's Petrel		-								
Sooty Petrel										
Red-tailed Tropicbird										
White-tailed Tropicbird										
Masked Booby										
Brown Booby		-								
Red-footed Booby										
Great Frigatebird										
Golden Plover										
Ruddy Turnstone			-							
Wandering Tattler										
Sanderling Coulom	-									
Bristle-thighed Curlew										
Sooty Tern				-						
Gray-backed Tern										
Brown-winged Tern										
Common Noddy										
Hawaiian Noddy										
Blue-gray Noddy		-								
Fairy Tern										
								7 /		
1) holorone?	1							Trtal buls = ZY		

(24058/N7. 156059 (Wat 1200)

Location 24058 2 2155 51 W to 240,3 2 157001 W

Observer

Date 267 lbrung 1465 Time 0650 to 1828

	I	bun	d 2		D.	o o al	ina	108 miles
SPECIES	P	nua	1	1	Breeding			
	1-10	10-100	100-1000	10001	Nests	Eggs	Young	Remarks
Laysan Albatross	2							
Black-footed Albatross		11						
Wedge-tailed Shearwater								0.0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel			- www.derliago/libral.derli					
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird	1							
White-tailed Tropicbird	1							
Masked Booby								
Brown Booby								
Red-footed Booby			articlina _{tion} approxime to					
Great Frigatebird	2							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern	3							7 7
Gray-backed Tern								0.2
Brown-winged Tern								
Common Noddy								
Hawaiian Noddy								
Blue-gray Noddy	The state of the Anti-							
Fairy Tern								
Leveli's Stom Petel								
evel s Stom Perse								
								1, 7
					-			
								total bus = 21

(21°85/22157°05/Wat 1008)

Location 22°05' 7157°01' fo 21°14' 7157° 49' W

Observer

Date 17 February 1465 Time 065-6 to 15-05

	2011 · 11							74 miles
	A	bur	ndan	ice	Br	eed	ing	
SPECIES	1-10	10-100	100-1000	1000+	Nests	Eggs	Young	Remarks
Laysan Albatross	1							
Black-footed Albatross	8							
Wedge-tailed Shearwater								3.0
Christmas I. Shearwater								
Audubon's Shearwater								
Bonin I. Petrel								
Phoenix I. Petrel								
Bulwer's Petrel								
Sooty Petrel								
Red-tailed Tropicbird								
White-tailed Tropicbird	-							
Masked Booby	-							
Brown Booby	3							
Red-footed Booby	20							
Great Frigatebird	4							
Golden Plover								
Ruddy Turnstone								
Wandering Tattler								
Sanderling								
Bristle-thighed Curlew								
Sooty Tern		or Whiteson our records. Against a	49	4				el achelt 60 7
Gray-backed Tern			//	0				actives (a)
Brown-winged Tern								
Common Noddy			140	4				
Hawaiian Noddy				1				=
Blue-gray Noddy								
Fairy Tern								
Pomaria Jasen	/							
								77.7
Phularge	2	33						total bud = 719
		-					-	